ELSEVIER

European Journal of Pharmacology 281 (1995) 347–349

ejp

Author index

Abiru, T., Endo, K. and Machida, H.
Differential vasodilatory action of 2-octynyladenosine (YT-146), an adenosine A_2 receptor agonist, in the isolated rat femoral artery and vein (281) 9
Acri, J.B., Carter, S.R., Alling, K., Geter-Douglass, B., Dijkstra, D., Wikström, H., Katz, J.L. and Witkin, J.M.
Assessment of cocaine-like discriminative stimulus effects of dopamine D_3 receptor ligands (281) R7
Aguirre, N., Galbete, J.L., Lasheras, B. and Del Río, J.
Methylenedioxymethamphetamine induces opposite changes in central pre- and postsynaptic 5-HT_{1A} receptors in rats (281) 101
Akuzawa, S., Miyata, K. and Fukutomi, H.
Characterization of [^{3}H]YM060, a potent and selective 5-HT_3 receptor radioligand, in the cerebral cortex of rats (281) 37
Allen, G.T., see Tesfamariam, B. (281) 17
Allescher, H.-D., see Kurjak, M. (281) 295
Alling, K., see Acri, J.B. (281) R7
Andersen, J.V., see Videbæk, C. (281) 117
Andersen, L.F., see Atke, A. (281) 63
Atke, A., Vilhardt, H., Hauzerova, L., Barth, T. and Andersen, L.F.
Effects of the non-peptide inhibitor OPC-21268 on oxytocin and vasopressin stimulation of rat and human myometrium (281) 63
Aydin, S., see Buyukuysal, R.L. (281) 179

Baltatu, O., see Brailoiu, E. (281) 209
Baltatu, O., see Costuleanu, M. (281) 89
Baltatu, O., see Filipeanu, C.M. (281) 29
Bargas, J., see Pineda, J.C. (281) 271
Barrachina, M.D., Calatayud, S., Canet, A., Bello, R., Díaz de Rojas, F., Guth, P.H. and Esplugues, J.V.
Transdermal nitroglycerin prevents nonsteroidal anti-inflammatory drug gastropathy (281) R3
Barth, T., see Atke, A. (281) 63
Becherucci, C., see Palmi, M. (281) 97
Belfast, M., see Glaser, K. (281) 107
Bello, R., see Barrachina, M.D. (281) R3
Bill, D.J., see Forster, E.A. (281) 81
Billard, J.-M., see Jouvenceau, A. (281) 131
Borowicz, K.K., Gasior, M., Kleinrok, Z. and Czuczwar, S.J.
The non-competitive AMPA/kainate receptor antagonist, GYKI 52466, potentiates the anticonvulsant activity of conventional antiepileptics (281) 319
Borowicz, K.K., see Czuczwar, S.J. (281) 327
Brailoiu, E., Baltatu, O., Costuleanu, M., Slatineanu, S., Filipeanu, C.M. and Branisteanu, D.D.
Effects of α-trinositol administered extra- and intracellularly (using liposomes) on rat aorta rings (281) 209
Brailoiu, E., see Costuleanu, M. (281) 89
Brailoiu, E., see Filipeanu, C.M. (281) 29
Branisteanu, D.D., see Brailoiu, E. (281) 209
Branisteanu, D.D., see Costuleanu, M. (281) 89
Branisteanu, D.D., see Filipeanu, C.M. (281) 29
Brotchie, J.M., see Hill, M.P. (281) R1
Buyukuysal, R.L., Ulus, I.H., Aydin, S. and Kiran, B.K.
3,4-Diaminopyridine and choline increase in vivo acetylcholine release in rat striatum (281) 179

Calatayud, S., see Barrachina, M.D. (281) R3
Calixto, J.B.
Multiple mechanisms of bradykinin-induced contraction in rat and guinea pig smooth muscles in vitro (281) 279
Cameron, N.E., see Dines, K.C. (281) 303
Canet, A., see Barrachina, M.D. (281) R3
Carilla, E., see Kleven, M. (281) 219
Carlson, R., see Glaser, K. (281) 107
Carter, S.R., see Acri, J.B. (281) R7
Cazaubon, C., see Christophe, B. (281) 161
Chatelain, P., see Christophe, B. (281) 161
Chen, R., see Gatley, S.J. (281) 141
Christophe, B., Libon, R., Cazaubon, C., Nisato, D., Manning, A. and Chatelain, P.
Effects of irbesartan (SR 47436/BMS-186295) on angiotensin II-induced pressor responses in the pithed rat: potential mechanisms of action (281) 161
Cliffe, I.A., see Forster, E.A. (281) 81
Costuleanu, M., Brailoiu, E., Filipeanu, C.M., Baltatu, O., Slatineanu, S., Saila, L., Nechifor, M. and Branisteanu, D.D.
Effects of liposome-entrapped platelet-activating factor in the isolated rat trachea (281) 89
Costuleanu, M., see Brailoiu, E. (281) 209
Cotter, M.A., see Dines, K.C. (281) 303
Czuczwar, S.J., Borowicz, K.K., Kleinrok, Z., Tutka, P., Żarnowski, T. and Turski, W.A.
Influence of combined treatment with NMDA and non-NMDA receptor antagonists on electroconvulsions in mice (281) 327
Czuczwar, S.J., see Borowicz, K.K. (281) 319

Dalgaard, L., see Videbæk, C. (281) 117
Del Río, J., see Aguirre, N. (281) 101
Díaz de Rojas, F., see Barrachina, M.D. (281) R3
Didriksen, M.
Effects of antipsychotics on cognitive behaviour in rats using the delayed non-match to position paradigm (281) 241
Dijkstra, D., see Acri, J.B. (281) R7
Dines, K.C., Cotter, M.A. and Cameron, N.E.
Nerve function in galactosaemic rats: effects of evening primrose oil and doxazosin (281) 303
Ding, Y.-S., see Gatley, S.J. (281) 141
Doak, G.J. and Sawynok, J.
Complex role of peripheral adenosine in the genesis of the response to subcutaneous formalin in the rat (281) 311
Dodd, R.H., see Zezula, J. (281) 93
Dover, G.M., see Forster, E.A. (281) 81
Dutar, P., see Jouvenceau, A. (281) 131
Dybvik, T., Osnes, J.-B. and Skomedal, T.
Location of α_1-adrenoceptors relative to β-adrenoceptors in rat myocardium (281) 21

Endo, K., see Abiru, T. (281) 9
Esplugues, J.V., see Barrachina, M.D. (281) R3

Fedan, J.S. and Grant, L.J.R.
Potentiating and inhibitory effects of periodate-oxidized ATP analogs on contractions of vas deferens to ATP (281) 213
Fernández-Guasti, A. and Picazo, O.
Flumazenil blocks the anxiolytic action of allopregnanolone (281) 113
Filipeanu, C.M., Brailoiu, E., Huhurez, G., Slatineanu, S., Baltatu, O. and Branisteanu, D.D.
Multiple effects of tyrosine kinase inhibitors on vascular smooth muscle contraction (281) 29
Filipeanu, C.M., see Brailoiu, E. (281) 209
Filipeanu, C.M., see Costuleanu, M. (281) 89
Fletcher, A., see Forster, E.A. (281) 81
Flores-Hernández, J., see Pineda, J.C. (281) 271
Foged, C., see Videbæk, C. (281) 117
Forster, E.A., Cliffe, I.A., Bill, D.J., Dover, G.M., Jones, D., Reilly, Y. and Fletcher, A.
A pharmacological profile of the selective silent 5-HT_{1A} receptor antagonist, WAY-100635 (281) 81
Fowler, J.S., see Gatley, S.J. (281) 141
Frosini, M., see Palmi, M. (281) 97
Fukutomi, H., see Akuzawa, S. (281) 37

Galarraga, E., see Pineda, J.C. (281) 271
Galbete, J.L., see Aguirre, N. (281) 101
Gasior, M., see Borowicz, K.K. (281) 319
Gatley, S.J., Ding, Y.-S., Volkow, N.D., Chen, R., Sugano, Y. and Fowler, J.S.
Binding of *d-threo*-[^{11}C]methylphenidate to the dopamine transporter in vivo: insensitivity to synaptic dopamine (281) 141
Geter-Douglass, B., see Acri, J.B. (281) R7
Glaser, K., Sung, M.-L., O'Neill, K., Belfast, M., Hartman, D., Carlson, R., Kreft, A., Kubrak, D., Hsiao, C.-L. and Weichman, B.
Etodolac selectively inhibits human prostaglandin G/H synthase 2 (PGHS-2) versus human PGHS-1 (281) 107
Grant, L.J.R., see Fedan, J.S. (281) 213
Gundlach, A.L., see King, P.R. (281) 341
Guo, J.-Z., Yoshioka, K., Zhao, F.-Y., Hosoki, R., Maehara, T., Yanagisawa, M., Hagan, R.M. and Otsuka, M.
Pharmacological characterization of GR82334, a tachykinin NK_1 receptor antagonist, in the isolated spinal cord of the neonatal rat (281) 49
Guth, P.H., see Barrachina, M.D. (281) R3

Hagan, R.M., see Guo, J.-Z. (281) 49
Hamelin, S.M. and Lehmann, J.C.
Effects of putative cognition enhancers on the NMDA receptor by [^{3}H]MK801 binding (281) R11
Hamon, M., see Kleven, M. (281) 219
Hamon, M., see Nevo, I. (281) 229
Hara, C., see Yamamoto, Y. (281) 335
Harris, H.J., see Klemm, P. (281) 69
Hartman, D., see Glaser, K. (281) 107
Hauzerova, L., see Atke, A. (281) 63
Hill, M.P. and Brotchie, J.M.
Modulation of glutamate release by a κ-opioid receptor agonist in rodent and primate striatum (281) R1
Hiraoka, M., see Tsuchida, S. (281) 251
Hosoki, R., see Guo, J.-Z. (281) 49
Hsiao, C.-L., see Glaser, K. (281) 107
Huhurez, G., see Filipeanu, C.M. (281) 29

Ichikawa, J. and Meltzer, H.Y.
Effect of antidepressants on striatal and accumbens extracellular dopamine levels (281) 255
Ikeda, Y., see Takiguchi, Y. (281) 205
Inagaki, M., see Nakachi, N. (281) 195
Inazu, M., see Nakachi, N. (281) 195
Ishii, K., see Yamagishi, T. (281) 151

Jones, D., see Forster, E.A. (281) 81
Jouvenceau, A., Dutar, P. and Billard, J.-M.
Presynaptic depression of inhibitory postsynaptic potentials by metabotropic glutamate receptors in rat hippocampal CA1 pyramidal cells (281) 131

Kalant, H., see Wu, P.H. (281) 263
Kameyama, T., see Ukai, M. (281) 173
Karall, S., see Zezula, J. (281) 93
Katz, J.L., see Acri, J.B. (281) R7
King, K.A., Lim, S.L. and Pang, C.C.Y.
Regional haemodynamic effects of platelet activating factor in the rat (281) 187
King, P.R., Suzuki, S., Louis, W.J. and Gundlach, A.L.
Differential characteristics and localisation of [^{3}H]oxazoline and [^{3}H]imidazoline binding sites in rat kidney (281) 341
Kiran, B.K., see Buyukuysal, R.L. (281) 179
Kiuchi, Y., see Nakachi, N. (281) 195
Kleinrok, Z., see Borowicz, K.K. (281) 319
Kleinrok, Z., see Czuczwar, S.J. (281) 327
Klemm, P., Harris, H.J. and Perretti, M.
Effect of rolipram in a murine model of acute inflammation: comparison with the corticoid dexamethasone (281) 69
Kleven, M., Ybema, C., Carilla, E., Hamon, M. and Koek, W.
Modification of behavioral effects of 8-hydroxy-2-(di-*n*-propylamino)tetralin following chronic ethanol consumption in the rat: evidence for the involvement of 5-HT_{1A} receptors in ethanol dependence (281) 219
Kleven, M., see Nevo, I. (281) 229
Koek, W., see Kleven, M. (281) 219
Koek, W., see Nevo, I. (281) 229
Kreft, A., see Glaser, K. (281) 107
Kubrak, D., see Glaser, K. (281) 107
Kurjak, M., Schusdziarra, V. and Allescher, H.-D.
Release of somatostatin-like immunoreactivity from enriched enteric nerve varicosities of rat ileum (281) 295

Lança, A.J., see Wu, P.H. (281) 263
Langlois, X., see Nevo, I. (281) 229
Laporte, A.-M., see Nevo, I. (281) 229
Lasheras, B., see Aguirre, N. (281) 101
Lassen, A.N., see Videbæk, C. (281) 117
Lehmann, J.C., see Hamelin, S.M. (281) R11
Libon, R., see Christophe, B. (281) 161
Lim, S.L., see King, K.A. (281) 187
Lima, L., see Nevo, I. (281) 229
Liu, J.-F., see Wu, P.H. (281) 263
Louis, W.J., see King, P.R. (281) 341

Machida, H., see Abiru, T. (281) 9
Maehara, T., see Guo, J.-Z. (281) 49
Man, C.-F., see Wu, P.H. (281) 263
Manning, A., see Christophe, B. (281) 161
Mansikka, H. and Pertovaara, A.
Influence of selective α_2-adrenergic agents on mustard oil-induced central hyperalgesia in rats (281) 43
Martres, M.-P., see Nevo, I. (281) 229
Mason, S.L., see Reynolds, G.P. (281) R5
Maudhuit, C., see Nevo, I. (281) 229
Meltzer, H.Y., see Ichikawa, J. (281) 255
Middlefell, V.C., see Spokes, R.A. (281) 75
Miyata, K., see Akuzawa, S. (281) 37

Muneoka, K., see Nankai, M. (281) 123
Muramatsu, I., see Tsuchida, S. (281) 251

Nagano, M., see Takiguchi, Y. (281) 205
Nakachi, N., Kiuchi, Y., Inagaki, M., Inazu, M., Yamazaki, Y. and Oguchi, K.
Effects of various dopamine uptake inhibitors on striatal extracellular dopamine levels and behaviours in rats (281) 195
Nakashima, M., see Takiguchi, Y. (281) 205
Nankai, M., Yamada, S., Muneoka, K. and Toru, M.
Increased 5-HT_2 receptor-mediated behavior 11 days after shock in learned helplessness rats (281) 123
Nechifor, M., see Costuleanu, M. (281) 89
Nevo, I., Langlois, X., Laporte, A.-M., Kleven, M., Koek, W., Lima, L., Maudhuit, C., Martres, M.-P. and Hamon, M.
Chronic alcoholization alters the expression of 5-HT_{1A} and 5-HT_{1B} receptor subtypes in rat brain (281) 229
Nisato, D., see Christophe, B. (281) 161

Oguchi, K., see Nakachi, N. (281) 195
O'Neill, K., see Glaser, K. (281) 107
Osnes, J.-B., see Dybvik, T. (281) 21
Otsuka, M., see Guo, J.-Z. (281) 49

Palmi, M., Frosini, M., Sgaragli, G.P., Becherucci, C., Perretti, M. and Parente, L.
Inhibition of interleukin-1β-induced pyresis in the rabbit by peptide 204–212 of lipocortin 5 (281) 97
Pang, C.C.Y., see King, K.A. (281) 187
Parente, L., see Palmi, M. (281) 97
Paulson, O.B., see Videbæk, C. (281) 117
Perretti, M., see Klemm, P. (281) 69
Perretti, M., see Palmi, M. (281) 97
Pertovaara, A., see Mansikka, H. (281) 43
Picazo, O., see Fernández-Guasti, A. (281) 113
Pineda, J.C., Bargas, J., Flores-Hernández, J. and Galarraga, E.
Muscarinic receptors modulate the afterhyperpolarizing potential in neostriatal neurons (281) 271
Powell, J.R., see Tesfamariam, B. (281) 17

Reilly, Y., see Forster, E.A. (281) 81
Reynolds, G.P. and Mason, S.L.
Absence of detectable striatal dopamine D_4 receptors in drug-treated schizophrenia (281) R5

Saila, L., see Costuleanu, M. (281) 89
Sawynok, J., see Doak, G.J. (281) 311
Schusdziarra, V., see Kurjak, M. (281) 295
Schwarcz, R., see Wu, H.-Q. (281) 55
Sgaragli, G.P., see Palmi, M. (281) 97
Shibata, S., see Yamamoto, Y. (281) 335
Shinkai, N., see Ukai, M. (281) 173
Sieghart, W., see Zezula, J. (281) 93
Sjögren, C., see Tobin, G. (281) 1
Skarsfeldt, T.
Differential effects of repeated administration of novel antipsychotic drugs on the activity of midbrain dopamine neurons in the rat (281) 289
Skomedal, T., see Dybvik, T. (281) 21
Slatineanu, S., see Brailoiu, E. (281) 209
Slatineanu, S., see Costuleanu, M. (281) 89
Slatineanu, S., see Filipeanu, C.M. (281) 29
Spokes, R.A. and Middlefell, V.C.
Simultaneous measurement of plasma protein extravasation and carotid vascular resistance in the rat (281) 75
Sudo, M., see Tsuchida, S. (281) 251
Sugano, Y., see Gatley, S.J. (281) 141
Sung, M.-L., see Glaser, K. (281) 107
Suzuki, S., see King, P.R. (281) 341

Taira, N., see Yamagishi, T. (281) 151
Takiguchi, Y., Nagano, M., Ikeda, Y. and Nakashima, M.
Early administration of YT-146, an adenosine A_2 receptor agonist, inhibits neointimal thickening after rat femoral artery endothelium injury (281) 205
Tesfamariam, B., Allen, G.T. and Powell, J.R.
Bradykinin B_2 receptor-mediated chronotropic effect of bradykinin in isolated guinea pig atria (281) 17
Tobin, G. and Sjögren, C.
In vivo and in vitro effects of muscarinic receptor antagonists on contractions and release of [^{3}H]acetylcholine in the rabbit urinary bladder (281) 1
Toru, M., see Nankai, M. (281) 123
Tsuchida, S., Hiraoka, M., Sudo, M. and Muramatsu, I.
Hyporesponsiveness to nitrovasodilators in rat aorta incubated with endotoxin and L-arginine (281) 251
Turski, W.A., see Czuczwar, S.J. (281) 327
Tutka, P., see Czuczwar, S.J. (281) 327

Ukai, M., Shinkai, N. and Kameyama, T.
κ-Opioid receptor agonists improve pirenzepine-induced disturbance of spontaneous alternation performance in the mouse (281) 173
Ulus, I.H., see Buyukuysal, R.L. (281) 179
Ungerstedt, U., see Wu, H.-Q. (281) 55

Videbæk, C., Andersen, J.V., Dalgaard, L., Foged, C., Paulson, O.B. and Lassen, A.N.
Neuroreceptor quantification in vivo by the steady state principle and [^{123}I]iomazenil in rats (281) 117
Vilhardt, H., see Atke, A. (281) 63
Volkow, N.D., see Gatley, S.J. (281) 141

Watanabe, S., see Yamamoto, Y. (281) 335
Weichman, B., see Glaser, K. (281) 107
Wikström, H., see Acri, J.B. (281) R7
Witkin, J.M., see Acri, J.B. (281) R7
Wu, H.-Q., Ungerstedt, U. and Schwarcz, R.
L-α-Aminoadipic acid as a regulator of kynurenic acid production in the hippocampus: a microdialysis study in freely moving rats (281) 55
Wu, P.H., Lança, A.J., Liu, J.-F., Man, C.-F. and Kalant, H.
Peripheral injection of arginine^8-vasopressin increases Fos in specific brain areas (281) 263

Yamada, S., see Nankai, M. (281) 123
Yamagishi, T., Ishii, K. and Taira, N.
Antiarrhythmic and bradycardic drugs inhibit currents of cloned K^+ channels, $K_{V1.2}$ and $K_{V1.4}$ (281) 151
Yamamoto, Y., Shibata, S., Hara, C. and Watanabe, S.
Methylcobalamin attenuates the hypoxia/hypoglycemia- or glutamate-induced reduction in hippocampal fiber spikes in vitro (281) 335
Yamazaki, Y., see Nakachi, N. (281) 195
Yanagisawa, M., see Guo, J.-Z. (281) 49
Ybema, C., see Kleven, M. (281) 219
Yoshioka, K., see Guo, J.-Z. (281) 49

Żarnowski, T., see Czuczwar, S.J. (281) 327
Zezula, J., Karall, S., Dodd, R.H. and Sieghart, W.
[^{3}H]Propyl-6-azido-β-carboline-3-carboxylate: a new photoaffinity label for the $GABA_A$-benzodiazepine receptor (281) 93
Zhao, F.-Y., see Guo, J.-Z. (281) 49